


# BAG CLOSURE CATALOG CANADA

Produit du Canada / Product of Canada  
Poireaux / Leeks  
**PLU 4829**



**BAG CLOSURES • CLOSURE-LABELS • DISPENSERS**



# TABLE OF CONTENTS

## HAND APPLIED BAG CLOSURES

Series A & F: .....	Page 4
Series AM: .....	Page 5
Series W & W72: .....	Page 6

## HAND APPLIED BAG CLOSURE-LABELS

Series C: .....	Page 7
Series MS: .....	Page 8
Series PS: .....	Page 8
Series P-100: .....	Page 10
Series T-210: .....	Page 11

## BAG CLOSURES WITH DISPENSERS

Series AA, AB & FA: .....	Page 12
Series AD & AE: .....	Page 13
Series CA (Closure-Labels): .....	Page 14
Supermarket Bulk Foods Labels: (Series CB-1 & 2, CB2-R, MS-B1 & B2, PS-B1 & B2): .....	Page 15
Series DJ: .....	Page 16
Series DV & DV-STK: .....	Page 17
Series JSRC: .....	Page 18

## SEMI-AUTOMATIC BAG CLOSURES

Series R & S: .....	Page 19
Series RJ: .....	Page 20
Series RL & SL (including RLP & SLP): .....	Page 21
Series RLS & RLSP: .....	Page 22

## SEMI-AUTOMATIC BAG CLOSURE-LABELS

Series CR: .....	Page 23
Series L: .....	Page 24
Series U: .....	Page 26

## AUTOMATIC BAG CLOSURES

Series J-NRP & K-NRP: .....	Page 27
Series JM-NRP, KM-NRP & KM57-NRP: .....	Page 28
Series V-NRP: .....	Page 29
Series Z-NRP: .....	Page 30
Series Z72-NRP: .....	Page 31

## AUTOMATIC BAG CLOSURE-LABELS

Series CJ & CFJ: .....	Page 33
Series M: .....	Page 35
Series P, PF & P-200: .....	Page 36
Series PFM & PM-200: .....	Page 38
Series T, TF & T-220: .....	Page 40
Series TFM & TM-220: .....	Page 42

## APPENDIX

Bag Closure-Label Information: ..... Pages 44-48

### Pre-Printed Closure Information:

Series C & CA: .....	Page 49
Series CJ: .....	Page 50, 51
Series CFJ: .....	Page 52, 53
Series CR: .....	Page 54
Series L: .....	Page 55
Series M, MS: .....	Page 56
Series P: .....	Page 57
Series PF: .....	Page 58
Series PFM, PS: .....	Page 59
Series P-100: .....	Page 60
Series P-200: .....	Page 61
Series PM-200: .....	Page 62
Series T: .....	Page 63, 64
Series TF: .....	Page 65, 66
Series TFM: .....	Page 67, 68
Series T-210: .....	Page 69
Series T-220: .....	Page 70, 71
Series TM-220: .....	Page 72, 73
Series U: .....	Page 74

### Dispensers:

63-DJ and 64-DV Dispensers: .....	Page 75
68-DJ and 69-DV Dispensers: .....	Page 76
70-DJ and 71-DV Valance Dispenser: .....	Page 77
72 Bulk Dispenser Cup: .....	Page 78
76A and 76B Dispensers: .....	Page 79
814 Produce Dispenser Kit: .....	Page 81

Bag Sizing Charts (Lok Opening Sizes): ..... Page 83

Shipping Carton Dimensions: ..... Page 87

Terms, Warranty, Return Merchandise Policy: ..... Page 88



# HAND APPLIED BAG CLOSURES

## Series A and F

**SERIES A** is available with the closure openings noted at the bottom of the page.



**MEDIUM DUTY CLOSURES**  
UP TO 5 lb. (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



**HEAVY DUTY CLOSURES**  
UP TO 10 lb. (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

Closure Colors available: .....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink**  
and **Tan** (Multi-colored packs are not available)

Packaged: ..... 500/strap, 10 straps per carton (OC-0006) 5M  
..... 500/strap, 100 straps per carton (OC-0004) 50M

Minimum Order: ..... 5,000

Approximate Shipping Weight:

..... 5M Packs: 7 Lbs (3.2 Kg)

..... 50M Packs: 67 Lbs (30.4 Kg)

**SERIES F** is available with the closure openings noted at the bottom of the page.

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: For film bag opening: ..... 350/strap, 10 straps per carton (OC-0006) 3.5M  
..... 350/strap, 100 straps per carton (OC-0004) 35M

For net/film (loose pack) bag opening: ..... 10,500 (OC-0129) or 17,500  
(OC-0004)

Minimum Order: For film bag opening: ..... 10,500



For net bag opening: ..... 10,500

Approximate Shipping Weight:

For film bag opening: ..... 3.5 M Packs: 6 Lbs (2.7 Kg), 35M Packs: 64 Lbs (29 Kg)

For net/film (loose pack) bag opening: ..... 10.5M Packs: 21 Lbs (9.5 Kg),  
17.5M Packs: 34 Lbs (15.4 Kg)

**Size** ..... **27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long**



**\*Heavy duty closure is recommended  
for net bag openings.**





# HAND APPLIED BAG CLOSURES

## Series AM

**SERIES AM** is manufactured with lok openings at both ends of the closure and is available with the closure openings noted at the bottom of the page.



MEDIUM DUTY CLOSURES  
UP TO 5 lb. (2.3 kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)


Closure Colors available: .....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink**  
and **Tan** (Multi-colored packs are not available)

Packaged: ..... 500/metal strap w/10 per carton (0C-0006) 5M  
..... 500/metal strap w/100 per carton (0C-0004) 50M

Minimum Order: .....5,000

Approximate Shipping Weight: ..5 MPacks: 7.5 Lbs (3.4 Kg), 50MPacks: 67 Lbs (30.4 Kg)

*Size .....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long*





# HAND APPLIED BAG CLOSURES

## Series W and W72



HEAVY DUTY CLOSURES  
UP TO 15LB (6.8 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

**SERIES W** is available with the closure openings noted at the bottom of the page.

Closure Colors available: ..... **Red, White, Yellow and Green**  
(Multi-colored packs are not available)  
Packaged: ..... 2,000 pack, 5 packs per carton (0C-0522) 10M  
Minimum Order: ..... 10,000  
Approximate Shipping Weight: ..... 10M packs: 32 Lbs (14.5 Kg)




EXTRA HEAVY DUTY  
CLOSURES  
UP TO 25LB (11.3 Kg)  
CONTENT WEIGHT

0.072"  
(0.183 cm)

**SERIES W72** is available with the closure openings noted at the bottom of the page.

Closure Colors available: ..... **White**  
Ink Colors: ..... Blue, Black and Red  
Packaged: ..... Loose, (0C-0004) 6M  
Minimum Order: ..... 6,000  
Approximate Shipping Weight: ..... 6M packs: 32 Lbs (14.5 Kg)

Size.....**1-3/8" (3.49 cm) wide x 1-11/16" (4.29 cm) long**





# HAND APPLIED BAG CLOSURE-LABELS

## Series C



**SERIES C** closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long**

Corner shape of the label may be square or have rounded corners. Three round corner options are available: (See Appendix)

- 1). All four corners rounded to a 3/8" (0.95 cm) radius
- 2). Top two corners rounded to an 11/16" (1.75 cm) radius
- 3). Top two corners rounded to 11/16" (1.75 cm) radius and bottom two rounded to a 3/8" (0.95 cm) radius.

### Medium Duty:

Closure Colors available: ....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan** (Multi-colored packs are not available)

Packaged: ..... 20 straps per carton (OC-0007) 10M

Minimum Order: ..... 10,000

Approximate Shipping Weight: ..... 10M packs: 28 Lbs (12.8 Kg)



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 20 straps per carton (OC-0007) 7M


Minimum Order: ..... 14,000

Approximate Shipping Weight: ..... 7M packs: 19 Lbs (8.6 Kg)

Packaged - NET BAG: ..... Loose/3,000 per carton (OC-0719)

Minimum Order: ..... 14,000

Approximate Shipping Weight - NET BAG: ..... 3M packs: 9 Lbs (4.1 Kg)



**\*Heavy duty plastic is recommended for net bag openings.**



# HAND APPLIED BAG CLOSURE-LABELS

## Series MS



### SERIES MS

closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.


**Label Size.....7/8" (2.22 cm) wide x 1-3/8" (3.49 cm) long**

Closure Colors available:.....Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan (Multi-colored packs are not available)

Packaged: .....Loose or 1,000/bag, 8,000 per carton (0C-0129)  
.....26,000 per carton (0C-0522)

Minimum Order: .....26,000

Approximate Shipping Weight: ...8M packs: 12 Lbs (5.4 Kg), 26M packs: 30 Lbs. (13.6 Kg)



\*Heavy duty plastic recommended for net bag openings.

RB-2 designed for rubber bands.



# HAND APPLIED BAG CLOSURE-LABELS

## Series PS



**SERIES PS** closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size.....7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long**


Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green and Tan**  
(Multi-colored packs are not available)

Packaged: ..... Loose, 7,000 per carton (0C-0129)

..... 21,000 per carton (0C-0522)

Minimum Order: ..... 21,000

Approx. Shipping Weight: 7M packs: 13 Lbs (5.9 Kg), 21M packs: 32 Lbs (14.5 Kg)



\*Heavy duty plastic recommended for net bag openings.

RB-2 designed for  
rubber bands.



# HAND APPLIED BAG CLOSURE-LABELS

## Series P-100



P-100: Front Printed by 884 Thermal Printer



P-100: Back - Custom printed at factory

**SERIES P-100** closure-labels are designed to be printed with Kwik Lok's 884 Thermal Printer. The printer can print bar codes, and other label variables. The P-100 and 884 Printer allow the packager to print their own labels. The back of the label can be preprinted at a Kwik Lok plant with custom graphics. Labels can be printed on our standard C1S Tagboard or a synthetic label material. They are available with the closure openings noted at the bottom of the page. Labels are available in LEFT HAND ONLY.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated by Kwik Lok's optional 888A Separator unit that removes the labels from the rolls.



**MEDIUM DUTY CLOSURES**  
Up to 5 Lbs. (2.3 kg)

0.030"  
(0.076 cm)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS. (4.5 KG)

0.045"  
(0.114 cm)

**Label Size.....7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long**

### Medium Duty:

Closure Colors available: ....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink** and **Tan** (Multi-colored packs are not available)

Packaged: ..... 2,000 per roll, 8 rolls per carton (0C-0203) 16M

Minimum Order: ..... 48,000 (3 cartons)

Approx. Shipping Weight: ..... 16M packs: 30 Lbs (13.6 Kg)


### Heavy Duty:

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,500 per roll, 8 rolls per carton (0C-0203) 12M

Minimum Order: ..... 48,000 (4 cartons)

Approx. Shipping Weight: ..... 12M packs: 34 Lbs (15.4 Kg)



\*Heavy duty plastic recommended for net bag openings.





# HAND APPLIED BAG CLOSURE-LABELS

## Series T-210



**SERIES T-210** closure-labels are designed to be printed with Kwik Lok's 884 Thermal Printer. The printer can print bar codes, and other label variables. The T-210 and 884 Printer allow the packager to print their own labels. The back of the label can be preprinted at a Kwik Lok plant with custom graphics. Labels can be printed on our standard C1S Tagboard or a synthetic label material. Series T-210 Closure-Labels are available with the closure openings noted at the bottom of the page. Labels are available in **RIGHT HAND ONLY**.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated by Kwik Lok's optional 888A Separator unit that removes the labels from the rolls.

**Label Size** .....2 3/4" (6.99 cm) wide x 2 3/4" (6.99 cm) long



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

### Medium Duty:

Closure Colors available: ....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan** (Multi-colored packs are not available)

Packaged: ..... 1,500 per roll, 8 rolls per carton (OC-0203) 12M

Minimum Order: ..... 48,000 (4 cartons)

Approx. Shipping Weight: ..... 12M packs: 45 Lbs (20.4 Kg)



**HEAVY DUTY CLOSURES**  
UP TO 10LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

### Heavy Duty:

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,250 per roll, 8 rolls per carton (OC-0203) 10M

Minimum Order: ..... 50,000 (5 cartons)

Approx. Shipping Weight: ..... 10M packs: 52 Lbs (23.6 Kg)



**\*Heavy duty plastic recommended for net bag openings.**

RB-2 designed for rubber bands.



# HAND APPLIED BAG CLOSURES used w/814 Dispenser

## Series AA, AB and FA

**Series AA and Series AB** are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser.

**SERIES AA** is available with the closure opening #0 only.

Closure Colors available: .....**Orange**  
Packaged: .....250 per rod/20 rods per carton (0C-0233) 5M  
Minimum Order: .....5,000  
Approximate Shipping Weight: .....5M Packs: 7.5 Lbs (3.4 Kg)



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES AB** is available with the closure openings listed below.

Closure Colors available: ....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink**  
and **Tan** (Multi-colored packs are not available)  
Packaged: .....250 per rod/20 rods per carton (0C-0233) 5M  
Minimum Order: .....5,000  
Approximate Shipping Weight: .....5M Packs: 7.5 Lbs (3.4 Kg)




HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

**SERIES FA** is available with the closure openings listed below.

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)  
Packaged: .....175 per rod/20 rods per carton (0C-0233) 3.5M  
Minimum Order: .....10,500 (3 cartons)  
Approximate Shipping Weight: .....3.5M Packs: 7.5 Lbs (3.4 Kg)

**Size .....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long**



## 814 Kwik Lok Dispenser

SEE APPENDIX FOR 814 DISPENSER INFORMATION



# HAND APPLIED BAG CLOSURES used w/814 Dispenser

## Series AD and AE

**Series AD and Series AE** are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser. They are manufactured with lok openings at each end of the closure. This design allows the packager to use one closure for a wider range of bag sizes.

**SERIES AD** is available with the closure opening #0-2 only.



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 KG)  
CONTENT WEIGHT

0.030"  
(0.076 cm)


Closure Colors available: .....**Orange**  
Packaged: .....250 per rod/20 rods per carton (0C-0233) 5M  
Minimum Order: .....5,000  
Approximate Shipping Weight: .....5M Packs: 7.5 Lbs (3.4 Kg)

**SERIES AE** is available with the closure openings listed below.

Closure Colors available: ....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink**  
and **Tan** (Multi-colored packs are not available)

Packaged: .....250 per rod/20 rods per carton (0C-0233) 5M  
Minimum Order: .....5,000  
Approximate Shipping Weight: .....5M Packs: 7.5 Lbs (3.4 Kg)

*Size .....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long*



SEE APPENDIX FOR 814 DISPENSER INFORMATION



# HAND APPLIED BAG CLOSURES used w/814 Dispenser

## Series CA Closure-Labels



SEE APPENDIX FOR 814 DISPENSER INFORMATION



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

**SERIES CA** closure-labels are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser.

They are available with the closure openings noted at the bottom of the page.

The closure-labels have the top two corners rounded to a 11/16" (1.76 cm) radius.

SEE APPENDIX FOR ADDITIONAL CLOSURE LABEL PRINTING INFORMATION.


**Label Size .....1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long**

Closure Colors available: ....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink**  
and **Tan** (Multi-colored packs are not available)

Packaged: ..... 175 per rod/12 rods per carton (OC-0719) 2.1M

Minimum Order: ..... 10,500 (5 cartons)

Approximate Shipping Weight: ..... 2.1M Packs: 13 Lbs (5.9 Kg)





# CLOSURE LABELS FOR BULK FOOD LABELS

## GENERAL INFORMATION

Kwik Lok Corporation manufactures three sizes of closure labels for supermarket bulk food sections. These labels permit the shopper to close the bag and mark bin numbers on the package.

The Kwik Lok bag closure gives the shopper a convenient and easy method of closing the bag. The label area permits easy marking of the bin number and assures legibility at the check-out stand.

The labels can be custom printed with bar codes, store logos, slogans or other copy and graphics. Contact us for pricing and information regarding custom printed labels.

## LOK OPENING SIZES\*

Bulk food closures are supplied in either of two opening sizes which will accommodate most bulk food bags.

## CLOSURE SPECIFICATIONS

Label Sizes: SERIES CB: 1-15/16" wide by 2-1/4" deep (4.92 cm x 5.72 cm)

**SERIES CB-1:** Blank labels

**SERIES CB-2:** Preprinted (PLEASE MARK BIN NUMBER BELOW)

**SERIES CB1-R:** Blank labels - packed on rods for 814 Dispenser

**SERIES CB2-R:** Preprinted (PLEASE MARK BIN NUMBER BELOW) -  
packed on rods for 814 Dispenser

SERIES MS: 1-3/8 wide by 7/8" deep (3.49 cm x 2.22 cm)

**SERIES MS-B1:** Blank labels

**SERIES MS-B2:** Preprinted (MARK BIN NO. BELOW)

SERIES PS: 2-3/4" wide by 7/8" deep (6.98 cm x 2.22 cm)

**SERIES PS-B1:** Blank labels

**SERIES PS-B2:** Preprinted (PLEASE MARK BIN NUMBER BELOW)

Label Material: C1S tagboard (10 pt, white))


## PACKAGE SPECIFICATIONS

**SERIES CB-1&2:** See Series C, Medium Duty Closures for packaging information and minimum quantities.

**SERIES CB1-R & CB2-R:** See Series CA, Medium Duty Closures for packaging information and minimum quantities.

**SERIES MS-B1 AND MS-B2:** See Series MS, Medium Duty Closures for packaging information and minimum quantities.

**SERIES PS-B1 AND PS-B2:** See Series PS, Medium Duty Closures for packaging information and minimum quantities.





# HAND APPLIED BAG CLOSURES used with Dispensers

## Series DJ

**SERIES DJ** were designed for use in either the Type 63-DJ, 68-DJ or 70-DJ Dispensers. (See Appendix for additional dispenser information.) The closure is available with the closure openings listed below.



MEDIUM DUTY CLOSURES  
UP TO 5 LBS 2.3 Kg  
CONTENT WEIGHT

0.030"  
(0.076 cm)


Closure Colors available: ....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink**  
and **Tan** (Multi-colored packs are not available)

Packaged: ..... 1,000 per roll/10 rolls per carton (0C-0906) 10M

Minimum Order: ..... 10,000

Approximate Shipping Weight: ..... 10M Packs: 9 Lbs (4.1 Kg)

*Size..... 7/8" (2.22 cm) wide x 27/32" (2.14 cm) long*



**TYPE 63-DJ DISPENSER**  
(68-DJ & 70-DJ not shown)





# HAND APPLIED BAG CLOSURES used with Dispensers

## Series DV and DV-STK

**SERIES DV and DV-STK** were designed for use in either the Type 64-DV, 69-DV or 71-DV Dispensers. (See Appendix for additional dispenser information.)

**SERIES DV** is available with the closure openings listed below.

Closure Colors available: ....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink** and **Tan** (Multi-colored packs are not available)

Packaged: ..... 1,250 per roll/10 rolls per carton (OC-0906) 12.5M

Minimum Order: .....12,500

Approximate Shipping Weight: ..... 12.5 M Packs: 9 Lbs (4.1 Kg)



MEDIUM DUTY CLOSURES  
UP TO 3 LBS 1.4 Kg  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES DV-STK** is available with the closure opening GP-1 only.


Closure Colors available: .....**Orange and Green**  
(Multi-colored packs are not available)

Packaged: .....1,250 per roll/10 rolls per carton (OC-0906) (12.5M)

Minimum Order: .....12,500

Approximate Shipping Weight: ..... 12.5 M Packs: 9 Lbs (4.1 Kg)

Size..... *11/16"* (1.75 cm) wide x *27/32"* (2.14 cm) long



**TYPE 64-DV DISPENSER**  
(69-DV & 71-DV not shown)



# HAND APPLIED BAG CLOSURES

## Series JSRC Dispenser

**SERIES JSRC** is packed loose in a carton dispenser. The carton has a pull-down opening allowing the loose closures to be individually used in a manual bag closing application. Closures dispensed from the carton offer an inexpensive, practical way of offering the preferred Kwik Lok® on bagged packages. The closure is available with the closure openings shown below.



Closure Colors available: ....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink**  
and **Tan** (Multi-colored packs are not available)

Dispenser Carton Size:.....8-1/2" x 8-1/2" x 4-1/2" (21.6 cm x 21.6 cm x 11.4 cm)

Packaged: ..... Loose, 4,000 per dispenser/ 6 dispensers per carton (0C-0004) 24M

Minimum Order: .....24,000


Approximate Shipping Weight: .....24M Packs: 22 Lbs (10 Kg)



**MEDIUM DUTY CLOSURES**  
**UP TO 5 LBS (2.3 Kg)**  
**CONTENT WEIGHT**

0.030"  
(0.076 cm)

**Size..... 7/8" (2.22 cm) wide x 27/32" (2.14 cm) long**





# SEMI-AUTOMATIC BAG CLOSURES

## Series R & S


**SERIES R** striploks are available with the closure openings noted at the bottom of the page.



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS 2.3 Kg  
CONTENT WEIGHT

**For bag closing machines:** .....086 and 1002  
Closure Colors available: ....**Red, White, Blue, Orange, Yellow, Green, Purple, Pink**  
and **Tan** (Multi-colored packs are not available)  
Packaged: ..... Rolls of 3,000 w/6 rolls per carton (0C-0129) 18M  
..... Rolls of 3,000 w/15 rolls per carton (0C-0522) 45M  
Minimum Order: ..... 18,000  
Approximate Shipping Weight: ..... 18M Packs: 19 Lbs (8.6 Kg)  
..... 45M Packs: 44 Lbs (20.0 Kg)


**SERIES S** striploks are available with the closure openings noted at the bottom of the page.



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

**For Bag Closing Machines:** .....086 and 1002  
Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)  
Packaged: ..... Rolls of 2,200 w/6 rolls per carton (0C-0129) 13.2M  
..... Rolls of 2,200 w/15 rolls per carton (0C-0522) 33M  
Minimum Order: ..... 13,200  
Approximate Shipping Weight: ..... 13.2M Packs: 20 Lbs (9.1 Kg)  
..... 33M Packs: 43 Lbs (19.5 Kg)

**Size** ..... 27/32" (2.14 cm) wide x 1" (2.54 cm) long



\*Heavy duty plastic is recommended for net bag openings.



# SEMI-AUTOMATIC BAG CLOSURES

## Series RJ

**SERIES RJ** closures are available with the closure openings noted at the bottom of the page.



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**For bag closing machines:** ..... 086 and 1003


Closure Colors available: ....Red, White, Blue, Orange, Yellow, Green, Purple, Pink  
and Tan (Multiple colors can be packaged in each carton  
5 rolls per color minimum [7.5M])

Packaged: .....1,500 roll, 10 rolls per carton (0C-0733) 15M

Minimum Order: .....15,000

Approximate Shipping Weight: ..... 15M packs: 16 Lbs (7.3 Kg)


*Size..... 27/32" (2.14 cm) wide x 57/64" (2.26 cm) long*





# SEMI-AUTOMATIC BAG CLOSURES

## Series RL & SL (Including Series RLP and SLP)



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
0.076 cm)

**SERIES RL** is manufactured with a small white label affixed to the closure. The label is absorbant, allowing the closure to be printed with price, date, codes or other information. It is available with the closure openings noted at the bottom of the page.

**SERIES RLP** is identical to Series RL, except the label is preprinted with the words "SELL BY".

**For bag closing machines:** ..... **086 and 1002**  
Closure Colors available: ..... **Red, White, Blue, Orange, Yellow, Green, Purple, Pink**  
and **Tan** (Multiple colors can be packaged in each  
carton - 5 rolls per color minimum [7.5M])

Packaged: ..... 2,500/roll, 6 rolls per carton (OC-0129) 15M  
Minimum Order: ..... 15,000  
Approximate Shipping Weight: ..... 15M Pack: 16 Lbs (7.3 Kg)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
0.114 cm)

**SERIES SL** is available with the closure openings noted at the bottom of the page.


**SERIES SLP** is preprinted with the words "SELL BY".

**For bag closing machines:** ..... **086 and 1002**  
Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,850/roll, 6 rolls per carton (OC-0129) 11.1M  
Minimum Order: ..... 11,100  
Approximate Shipping Weight: ..... 11.1M Pack: 17 Lbs (7.7 Kg)

**Size**..... **27/32" (2.14 cm) wide x 1" (2.54cm) long**

**Label Dimensions**..... **3/4" (1.91 cm) x 3/8" (0.96 cm)**




**\*Heavy duty plastic recommended for net bag openings.**



# SEMI-AUTOMATIC BAG CLOSURES

## Series RLS & RLSP



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
0.076 cm)

**SERIES RLS** is manufactured with a small white label affixed to the closure. The label is absorbant, allowing the closure to be printed with price, date, codes or other information. It is available with the closure openings noted at the bottom of the page.

**SERIES RLSP** is identical to Series RLS, except the label is preprinted with the words "SELL BY".

**For bag closing machines:** .....1003

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Purple, Pink** and **Tan** (Multi-colored packs are not available)


Packaged: ..... 1,250/roll, 10 rolls per carton (OC-0733) 12.5M

Minimum Order: .....12,500

Approximate Shipping Weight: .....12.5M Pack: 13 Lbs (5.9 Kg)

**Size** ..... 27/32" (2.14 cm) wide x 1" (2.54cm) long

**Label Dimensions** ..... 3/4" (1.91 cm) x 3/8" (0.96 cm)








# SEMI-AUTOMATIC BAG CLOSURE-LABELS

## Series CR



**SERIES CR** closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Corner shape of the label may be square or have rounded corners. Two round corner options are available.

- 1) All four corners rounded to a 3/8" (0.95 cm) radius.
- 2) Top two corners rounded to a 3/8" (0.95 cm) radius.

For bag closing machine: .....086

**Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long**

### Medium Duty:

Closure Colors available: .....Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan (Multi-colored packs are not available)

Packaged: ..... 1,000/roll w/14 rolls per carton (OC-0204) 14M

Minimum Order: .....14,000

Approximate Shipping Weight: .....14M Pack: 35 Lbs (15.9 Kg)

### Heavy Duty:

Closure Colors available: .....Red, White and Blue (Multi-colored packs are not available)

Packaged: ..... 1,100/roll w/13 rolls per carton (OC-0203) 14.3M

Minimum Order: .....14,300

Approximate Shipping Weight: .....14.3M Pack: 42 Lbs (19.0 Kg)






MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)



\*Heavy duty plastic recommended for net bag openings.



# SEMI-AUTOMATIC BAG CLOSURE-LABELS

## Series L



**SERIES L** closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

For bag closing machines: .....082 and 086

Label Size.....7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

### Medium Duty:

Closure Colors available: ....Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan (Multi-colored packs are not available)

Packaged: ..... 1,000/roll w/29 rolls per carton (0C-0204) 29M

Minimum Order: .....29,000

Approximate Shipping Weight: .....29M Pack: 55 Lbs (24.9 Kg)




### Heavy Duty:

Closure Colors available: .....Red, White and Blue (Multi-colored packs are not available)

Packaged: ..... 1,000/roll w/27 rolls per carton (0C-0203) 27M

Minimum Order: .....27,000

Approximate Shipping Weight: .....27M Pack: 60 Lbs (27.2 Kg)



\*Heavy duty plastic recommended for net bag openings.



## SEMIAUTOMATIC BAG CLOSURE-LABELS

### Series L



The standard Series L closure-label is printed on coated one-side tagboard. The front of the label is printed on the coated side. The coated side will permit the printing of brighter colors and sharp color illustrations.



Labels that will be printed with a printer mounted on the bag closing machine must be printed with the front on the uncoated side of the tagboard. This permits the ink to absorb into the material and prevents ink smears.

Uncoated papers are absorbent, so inks, varnishes and coatings perform differently than on coated papers. It is generally not a good idea to print four-color illustrations on the uncoated side of our tagboard.



# SEMI-AUTOMATIC BAG CLOSURE-LABELS

## Series U



**SERIES U** closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

For bag closing machines: ..... 086

Corner shape of the label may be square or have all corners rounded to a 3/8" radius.

Label Size ..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

### Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan** ( Multi-colored packs are not available)

Packaged: ..... 1,000/roll, 10 rolls/carton (OC-0204) 10M

Minimum Order: ..... 10,000

Approximate Shipping Weight: ..... 10M Packs: 37 Lbs (16.8 Kg)


### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,000/roll, 9 rolls/carton (OC-0203) 9M

Minimum Order: ..... 9,000

Approximate Shipping Weight: ..... 9M Packs; 40 Lbs (18.1 Kg)




MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)



\*Heavy duty plastic recommended for net bag openings.



# AUTOMATIC BAG CLOSURES

## Series J-NRP & K-NRP

**SERIES J-NRP** is available with the closure openings noted at the bottom of the page.

For bag closing machines: .....087, 088, 865, 872XLS, 872XLS LM, 873 and 893  
For the Closure (Auto) Printer-Separator. ....898



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.30"  
(0.076 cm)

Closure Colors available: ....Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan (Multi-colored packs are not available)

Packaged: .....4,000/roll, 12 rolls per carton (0C-1983C) 48M

Minimum Order: .....48,000

Approximate Shipping Weight: .....48M Pack: 40 Lbs (18 Kg)

**SERIES K-NRP** striplok is identical to the J-NRP design, but manufactured with a heavy duty thickness. It is available with the closure openings noted at the bottom of the page.

For bag closing machines: .....087, 088, 865, 872XLS, 872XLS LM and 873  
For the Closure (Auto)Printer-Separator. ....898



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.45"  
(0.114 cm)

Closure Colors available: .....Red, White and Blue  
(Multi-colored packs are not available)

Packaged: .....2,500/roll, 15 rolls per carton (0C-0522) 37.5M

Minimum Order: .....37,500

Approximate Shipping Weight: .....37.5M Pack: 42 Lbs (19.1 Kg)

Size..... 7/8" (2.22 cm) wide x 27/32" (2.14 cm) long



\*Heavy duty plastic is recommended for net bag openings.



# AUTOMATIC BAG CLOSURES

## Series JM-NRP, KM-NRP & KM57-NRP



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES JM-NRP** Striploks are available with the closure openings noted at the bottom of the page.

**For bag closing machines:** .....087, 088, 865, 872XLS, 873 and 893

**For the Closure (Auto)Printer-Separator:**..... 898

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan** ( Multi-colored packs are not available)

Packaged: ..... Rolls of 4,000 w/10 rolls per carton (0C-0522)

Minimum Order: ..... 40,000

Approximate Shipping Weight: ..... 40M Packs: 44 Lbs (20.0 Kg)



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

**SERIES KM-NRP** Striploks are available with the closure openings noted at the bottom of the page.

**For Bag Closing Machines:** .....087, 088, 865, 872XLS and 873

**For the Closure (Auto)Printer-Separator:**..... 898

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... Rolls of 2,500 w/10 rolls per carton (0C-0522)

Minimum Order: ..... 25,000

Approximate Shipping Weight: ..... 25M Packs: 40 Lbs (18.1 Kg)



HEAVY DUTY PLUS  
CLOSURES  
UP TO 20 LBS (9.1 Kg)  
CONTENT WEIGHT

0.057"  
(0.145 cm)

**SERIES KM57-NRP** Striploks are available with the closure openings noted at the bottom of the page.

**For Bag Closing Machines:** ..... 865

**For the Closure (Auto)Printer-Separator:**..... 898


Closure Colors available: ..... **WHITE ONLY**

Packaged: ..... Rolls of 2,200 w/10 rolls per carton (0C-0522)

Minimum Order: ..... 22,000

Approximate Shipping Weight: ..... 22M Packs: 42 Lbs (19.1 Kg)

*Size.....7/8" (2.22 cm) wide x 1-5/16" (4.92 cm) long*



TGR-6 Not available in  
Series JM-NRP






# AUTOMATIC BAG CLOSURES

## Series V-NRP

**SERIES V-NRP** is available with the closure openings noted at the bottom of the page.



**MEDIUM DUTY CLOSURES**  
UP TO 3 Lbs (1.4 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**For bag closing machines: .....872XLS and 873**


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan** (Multi-colored packs are not available)

Packaged: .....Rolls of 5,000 w/15 rolls per carton (0C-0522) 75M

Minimum Order: .....75,000

Approximate Shipping Weight: ..... 75M Packs: 48 Lbs (21.8 Kg)

**Size..... 11/16" (1.75 cm) wide x 27/32" (2.14 cm) long**





# AUTOMATIC BAG CLOSURES

## Series Z-NRP



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

**SERIES Z-NRP** is available with the closure openings noted at the bottom of the page.

For bag closing machines: ..... 865, 872XLS and 873


Closure Colors available: ..... **Red, White, and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 2,100/roll, 8 rolls per carton (0C-0522) 16.8m

Minimum Order: ..... 16,800

Approximate Shipping Weight: ..... 16.8M Pack: 56 Lbs (25.4 Kg)

**Size.....1-11/64" (2.98 cm) wide x 1-11/16" (4.29 cm) long**





# AUTOMATIC BAG CLOSURES

## Series Z72-NRP



EXTRA HEAVY DUTY CLOSURES  
UP TO 25 LBS (11.3 Kg)  
CONTENT WEIGHT

Ex. Heavy Duty  
0.072"  
(0.183 cm)

**SERIES Z72-NRP** is available with the closure openings noted at the bottom of the page.

**For bag closing machines:** .....865


Closure Colors available: ..... **White**

Packaged: ..... 1,050/roll, 8 rolls per carton (0C-0522) 8.4M

Minimum Order: .....8,400

Approximate Shipping Weight: .....8.4M Pack: 45 Lbs (20.4 Kg)

*Size.....1-11/64" (2.98 cm) wide x 1-11/16" (4.29 cm) long*



# Kwik Lok® designed for the consumer

**EASY TO OPEN... EASY TO CLOSE... EASY TO READ**

**TO OPEN**



**TO CLOSE**



A Kwik Lok package is easy to open, no confusing twisted wire to unravel. The all-plastic Kwik Lok closure snaps off in a quick simple motion. Reclosing the bag is just as easy and that makes your package consumer friendly. Your product and its package are important, why not use the best closure available?

Consumers are increasingly looking for package information such as "Sell By", unit price, etc. Kwik Lok allows you to print this information right on the closure. It is always in the same place and easy to read. Information that is overprinted on the bag graphics can be hard to locate and read.

## Kwik Lok® ....

### BAG CLOSING

### BAG CODING

### CONVENIENT PACKAGE




# AUTOMATIC BAG CLOSURE-LABELS

## Series CJ & CFJ

*Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long*

**SERIES CJ CLOSURE-LABELS** - The closure is glued to the back of the label.



**FRONT**



**BACK**

**SERIES CFJ CLOSURE-LABELS** - The closure is glued to the front of the label



**FRONT**



**BACK**



# AUTOMATIC BAG CLOSURES-LABELS

## Series CJ & CFJ

**SERIES CJ** and **CFJ** closure-labels are custom printed in any number of colors on both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

*Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long*

**SERIES CJ** for bag closing machines: .....872XLS LM and 873

**SERIES CFJ** for bag closing machines: 087, 088, 865, 872XLS LM, 873 and 893

### Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Purple, Pink** and **Tan** ( Multi-colored packs are S not available)

Packaged: ..... 1,500/roll w/10 rolls per carton (0C-0203) 15M

Minimum Order: ..... 45,000 (3 cartons)

Approximate Shipping Weight: .....15M Pack: 29 Lbs (13.2 Kg)



MEDIUM DUTY CLOSURES  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

**SERIES CJ** for bag closing machines: .....872XLS LM and 873

**SERIES CFJ** for bag closing machines: .....087, 088, 865, 872XLS LM and 873

### Heavy Duty:

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,300/roll w/10 rolls per carton (0C-0203) 13M


Minimum Order: ..... 52,000 (4 cartons)

Approximate Shipping Weight: .....13M Pack: 34 Lbs (15.4 Kg)



HEAVY DUTY CLOSURES  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)



**\*Heavy duty plastic recommended for net bag openings.**



# AUTOMATIC BAG CLOSURE-LABELS

## Series M



**SERIES M** closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**SERIES M** for bag closing machines:.....872XLS LM

**Label Size**.....7/8" (2.22 cm) wide x 1-3/8" (3.49 cm) long



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)

### Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan** ( Multi-colored packs arenot available)

Packaged: ..... 2,000/roll w/13 rolls per carton (0C-0203) 26M

Minimum Order: .....26,000

Approximate Shipping Weight: .....26M packs: 30 Lbs. (13.6 Kg)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)


### Heavy Duty:

Closure Colors available: ..... **Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,500/roll w/13 rolls per carton (0C-0203) 19.5M

Minimum Order: ..... 39,000 (2 cartons)

Approximate Shipping Weight: ..... 19.5M packs: 30 Lbs. (13.6 Kg)



**\*Heavy duty plastic recommended for net bag openings.**



# AUTOMATIC BAG CLOSURE-LABELS

## Series P, PF & P-200

Label Size.....2-3/4" (6.99 cm) wide x 7/8" (2.22 cm) long

### SERIES P CLOSURE-LABELS



The label can be custom printed on both sides. The closure is glued to the back of the label.

### SERIES PF CLOSURE-LABELS



The label can be custom printed on both sides. The closure is glued to the front of the label.

### SERIES P-200 CLOSURE-LABELS



Custom Printed Front

Back Printed by 884 Thermal Printer

Series P-200 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled, and can be used in appropriate Kwik Lok Bag Closing Machines or the 898 Closure-Printer Separator. The front of the label can be custom printed - this side of the label will face out, away from the package, towards the consumer.

The 884 Print Area is 2-3/16" (5.55 cm) x 3/4" (1.91 cm) Note: The 884 cannot print directly over the closure.

### SERIES PF CLOSURE-LABELS



Front Printed by 883M Thermal Printer

Custom Printed Front





# AUTOMATIC BAG CLOSURE-LABELS

## Series P, PF & P-200

**SERIES P, PF** and **P-200** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size**.....2-3/4" (6.99 cm) wide x 7/8" (2.22 cm) long

**SERIES P** for bag closing machines: .....872XLS LM and 873

**SERIES PF** for bag closing machines: ..087, 088, 865, 872XLS LM, 873 and 893  
for the Closure (Auto)Printer-Separator .....898

**SERIES P-200** for bag closing machines: .....087, 088 and 865  
for the Closure (Auto)Printer-Separator .....898



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)

### Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan** ( Multi-colored packs arenot available)

Packaged: ..... 2,000/roll w/8 rolls per carton (0C-0203)16M

Minimum Order: ..... 48,000 (3 cartons)

Approximate Shipping Weight: .....16M Pack: 30 Lbs (13.6 Kg)


### Heavy Duty:

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,500/roll w/8 rolls per carton (0C-0203) 12M

Minimum Order: ..... 48,000 (4 cartons)

Approximate Shipping Weight: .....12M Pack: 34 Lbs (15.4 Kg)



\*Heavy duty plastic recommended for net bag openings.



# AUTOMATIC BAG CLOSURE-LABELS

## Series PFM & PM-200

*Label Size.....2-3/4" (6.99 cm) wide x 7/8" (2.22 cm) long*

### SERIES PFM CLOSURE-LABELS



The label can be custom printed both sides. The closure is glued to the front of the label.

### SERIES PM-200 CLOSURE-LABELS



**Custom Printed Front**

**Back Printed by 884 Thermal Printer**

Series PM-200 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled and can be used in one of the Automatic Bag Closing Machines or the 898 Closure-Printer Separator. The front of the label can be custom printed - this side of the label will face out, away from the package, towards the consumer.

884 PRINT AREA: 1-15/16" (4.92 cm) x 3/4" (1.91 cm). The 884 will not print on the material directly above the glued closure. When applied to the package the custom printed side (front) will face out, away from the package, towards the consumer.

### SERIES PFM CLOSURE-LABELS



**Custom Printed Back**

**Front Printed by 883M Thermal Printer**



# AUTOMATIC BAG CLOSURE-LABELS

## Series PFM & PM-200




**SERIES PFM and PM-200** closure-labels can be printed on our standard C1S Tag-board (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

*Label Size.....2-3/4" (6.99 cm) wide x 7/8" (2.22 cm) long*

**SERIES PFM** for bag closing machines: .....087, 088, 865, and 893  
for the Closure (Auto)Printer-Separator .....898

**SERIES PM-200** for bag closing machines: .....087, 088 and 865  
for the Closure (Auto)Printer-Separator .....898



### Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan** ( Multi-colored packs are not available)

Packaged: ..... 2,000/roll w/7 rolls per carton (0C-0203) 14M

Minimum Order: ..... 42,000 (3 cartons)

Approximate Shipping Weight: .....14M Pack: 32 Lbs (14.5 Kg)

### Heavy Duty:

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,500/roll w/7 rolls per carton (0C-0203) 10.5M

Minimum Order: ..... 42,000 (4 cartons)

Approximate Shipping Weight: .....10.5M Pack: 32 Lbs (14.5 Kg)


### Heavy DutyPlus:

Closure Colors available: ..... **White**

Packaged: ..... 1,250/roll w/7 rolls per carton (0C-0203) 8.75M

Minimum Order: ..... 43,750 (5 cartons)

Approximate Shipping Weight: .....8.75M Pack: 30 Lbs (13.6 Kg)





# AUTOMATIC BAG CLOSURE-LABELS

## Series T, TF & T-220

Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

### SERIES T CLOSURE-LABELS



Series T closure-labels are designed to be used with Kwik Lok's 872XLS LM Automatic Bag Closing Machine. The label can be custom printed on both sides. The closure is glued to the back of the label.


### SERIES TF CLOSURE-LABELS



Series TF closure-labels are designed to be used with Kwik Lok's 865, 872, & 893 Ultra Automatic Bag Closing Machines, the 087 & 088 Semiautomatic Machines and the 898 Closure-Printer Separator. The label is custom printed on both sides. The closure is glued to the front of the label.

### SERIES T-220 CLOSURE-LABELS


THIS AREA PRINTED BY 884 THERMAL PRINTER



Custom printed front with lower portion of label back custom printed

### SERIES TF CLOSURE LABEL

Custom printed front with upper portion of label back custom printed



THIS AREA PRINTED BY 883M THERMAL PRINTER

Series T-220 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled twice and can be used in various Automatic and Semiautomatic Bag Closing Machines and the 898 Closure-Printer Separator. The front of the label will face out, away from the package, towards the consumer. A trigger mark is printed on the front to activate the 884 Printer.



# AUTOMATIC BAG CLOSURE-LABELS

## Series T, TF & T-220

**SERIES T, TF and T-220** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long**

**SERIES T** for bag closing machines: .....872XLS LM and 873

**SERIES TF** for bag closing machines: ..087, 088, 865, 872XLS LM, 873 and 893  
for the Closure (Auto)Printer-Separator .....898

**SERIES T-220** for bag closing machines: .....087, 088 and 865  
for the Closure (Auto)Printer-Separator .....898

### Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan** ( Multi-colored packs arenot available)

Packaged: ..... 1,500/roll w/8 rolls per carton (0C-0203) 12M

Minimum Order: ..... 48,000 (4 cartons)

Approximate Shipping Weight: .....12M Pack: 45 Lbs (20.4 Kg)

### Heavy Duty:

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,250/roll w/8 rolls per carton (0C-0203) 10M

Minimum Order: ..... 50,000 (5 cartons)

Approximate Shipping Weight: .....10M Pack: 50 Lbs (22.7 Kg)




**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)



**\*Heavy duty plastic recommended for net bag openings.**



# AUTOMATIC BAG CLOSURE-LABELS

## Series TFM & TM-220

Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long



### SERIES TFM CLOSURE-LABELS

Custom printed front with upper portion of label back custom printed

### SERIES TFM CLOSURE-LABELS

Series TFM closure-labels are designed to be used with Kwik Lok's 865 Automatic and 087 Semiautomatic Bag Closing Machines, and the 898 Closure-Printer Separator. The label can be custom printed both sides. Closure glued to front of label.



THIS AREA PRINTED BY THE 883M PRINTER

THIS AREA PRINTED BY THE 884 THERMAL PRINTER



Custom Printed Front Lower portion of label custom printed

### SERIES TM-220 CLOSURE-LABELS

Series TM-220 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled twice and can be used in Automatic and Semiautomatic Bag Closing Machine, as well as the 898 Closure-Printer Separator. The front of the label will face out, away from the package, towards the consumer. A trigger mark is printed on the front to activate the 884 Printer.





# AUTOMATIC BAG CLOSURE-LABELS

## Series TFM & TM-220


**SERIES TFM and TM-220** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

**Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long**

**SERIES TFM** for bag closing machines: ..... 087, 088, 865 and 893  
for the Closure (Auto)Printer-Separator .....898

**SERIES TM-220** for bag closing machines: ..... 087, 088 and 865  
for the Closure (Auto)Printer-Separator .....898



**MEDIUM DUTY CLOSURES**  
UP TO 5 LBS (2.3 Kg)  
CONTENT WEIGHT

0.030"  
(0.076 cm)



**HEAVY DUTY CLOSURES**  
UP TO 10 LBS (4.5 Kg)  
CONTENT WEIGHT

0.045"  
(0.114 cm)



**HEAVY DUTY PLUS CLOSURES**  
UP TO 20 LBS (9.1 Kg)  
CONTENT WEIGHT

0.057"  
(0.145 cm)

### Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Purple, Pink and Tan** ( Multi-colored packs are not available)

Packaged: ..... 1,500/roll w/7rolls per carton (0C-0203) 10.5M

Minimum Order: ..... 42,000 (4 cartons)

Approximate Shipping Weight: .....10.5M Pack: 45 Lbs (20.4 Kg)

### Heavy Duty:

Closure Colors available: .....**Red, White and Blue**  
(Multi-colored packs are not available)

Packaged: ..... 1,250/roll w/7 rolls per carton (0C-0203) 8.75M

Minimum Order: ..... 43,750 (5 cartons)

Approximate Shipping Weight: .....8.75M Pack: 40 Lbs (13.6 Kg)


### Heavy Duty Plus:

Closure Colors available: ..... **White**

Packaged: ..... 1,000/roll w/7 rolls per carton (0C-0203) 7M

Minimum Order: ..... 42,000 (6 cartons)

Approximate Shipping Weight: .....7M Pack: 35 Lbs (15.9 Kg)







## APPENDIX

# BAG CLOSURE-LABEL INFORMATION

Kwik Lok can provide complete design services. A design mock-up can be provided at no charge, along with a quotation of all costs. Mock-up can be sent to the customer as a PDF digital file via e-mail. Using electronic PDF files allows fast, easy communications during the design process. A hard copy proof can be furnished as soon as the customer has accepted the final design. Press Proofs can be provided and shipped to the customer. Contact the production plant for Press Proof costs.

Kwik Lok closure-labels are printed on offset lithography presses. Printing inks used are 4-color process; spot colors are limited to Pantone Matching System (PMS) colors. All spot colors must be identified by PMS Numbers. The company contracts printing to outside vendors. Press check by customers, or their agent(s) is permitted and must be pre-arranged. The person making the press check must be authorized to sign-off on the press sheet.

**DIGITAL ARTWORK:** Customers wishing to provide their own art should send files in digital form. Kwik Lok supports the following applications: Adobe Illustrator, Adobe Photoshop, Adobe InDesign, Quark X Press. Artwork provided in other formats should be saved as an eps file. All text copy should be outlined. Linked files **MUST** be included and provided as esp or tiff files. Files can be furnished on disk, sent by e-mail or placed on our ftp site. Contact a Kwik Lok plant for ftp site instructions.

All artwork designed by Kwik Lok will remain the property of Kwik Lok Corporation and held for the exclusive use of the customer as long as the files remain active. Files will be deemed inactive if, during a period of two years, the label(s) have not been ordered. Inactive files will be permanently removed from our servers.

**LABEL MATERIALS:** All Kwik Lok plants stock two basic label materials: Coated one side (C1S) paper tagboard, white, 10pt.; a synthetic material, white, 10 mil. The Yakima plant also has access to coated two-side tagboard, white, 10 pt.


**Special materials:** Generally we do not accept orders calling for specialty materials. All material must be pre-approved by Kwik Lok; samples of special materials must be provided for tests to test compatibility of materials with our production equipment.

**COMBINING LABEL VARIETIES FOR PRICING:** Label orders containing more than one label can be combined for pricing as long as the labels are printed with spot colors and ALL colors remain identical. 4-Color process labels cannot be combined for pricing.


Labels combined to obtain a lower unit price may be subject to one or more additional charges such as: Press changes, tooling changes, variety changes, etc.

**FLOW DIRECTION:** Some labels must be matched with the Kwik Lok machines that will be used to close the bag using the closure-label. Machines that are designated as **RIGHT HAND** or **LEFT HAND** can only use labels that are produced as **RIGHT HAND** or **LEFT HAND** labels. This information can be obtained from the Kwik Lok machine's serial number plate. The last letter of the **MODEL NUMBER** will be either **R** (right hand) or **L** (left hand). If there is any question, please provide us with the serial number(s) of the machines that will be used to close the bag with the closure-labels being ordered.

**DETERMINE FLOW DIRECTION: 872, 873 & 893 AUTOMATIC MACHINES - ALSO 865 (HORIZONTAL PKGS.)**



**DETERMINE FLOW DIRECTION: 865 AUTOMATIC MACHINES (VERTICAL PACKAGES)**





## APPENDIX

### BAG CLOSURE-LABEL INFORMATION


#### SERIES C COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Three basic Copy Positions are possible as noted below.

Copy Position #1




Copy Position #2




Copy Position #3

#### SERIES C CORNER SHAPES



All Four Corners  
Square



All Four Corners  
3/8" (0.95 cm) Radius



Top Two Corners: 11/16" (1.75 cm) Radius  
Bottom Two Corners: 3/8" (0.96 cm) Radius  
or  
Top Two Corners Only: 11/16" (1.75 cm) Radius



## APPENDIX

### BAG CLOSURE-LABEL INFORMATION

#### SERIES T COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Two basic Copy Positions are possible as noted below. Closure is always glued on the corner of the label.

Copy positions apply to Series T, TF, TFM, T-220. RIGHT HAND SHOWN - LEFT HAND OPPOSITE.



Copy Position #1



Copy Position #2

#### SERIES T CORNER SHAPES

Also TF, T-220, TFM



Three Corners Rounded  
3/8" (0.95 cm) Radius



Four Corners Square



## APPENDIX

### BAG CLOSURE-LABEL INFORMATION

#### SERIES U CORNER SHAPES

Also Series U-34



All Four Corners  
3/8" (0.95 cm) Radius



All Four Corners  
Square

#### SERIES U COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Three basic Copy Positions are possible as noted below.

Copy Position #2



Copy Position #3



## APPENDIX

### BAG CLOSURE-LABEL INFORMATION

#### PRICE-CODE AREA

##### Series CR, U & L

Kwik Lok's 086 Semiautomatic Bag Closing Machine can be purchased with a printer to print dates, prices, lot codes, etc. on the label as the bags are being closed by the machine. The code area must be kept free of copy and graphics. Code area is shown below.




Code Area Dimensions: 7/8" (2.22 cm) wide x 9/16" (1.42 cm) deep, centered on label.

Note: The printer requires an absorbant surface. The front of the label (facing out towards the consumer) will be printed on the uncoated side of our standard C1S Tagboard.


## SERIES C & CA

Label Size: 1.937" (4.92 cm) wide x 2.25" (5.72 cm) long

FRONT OF LABEL





BACK OF LABEL





Bleed Area: 2.188" (5.55 cm) x 2.5" (6.35 cm)

### ALTERNATE CLOSURE POSITIONS




### CORNERS CAN BE SQUARE OR ROUNDED




## SERIES CJ: LEFT HAND

Label Size: 1.937" (4.94 cm) wide x 2.25" (5.72 cm) long

FRONT OF LABEL




BACK OF LABEL




Bleed Area: 2.187" (5.56 cm) x 2.5" (6.35 cm)

FRONT OF LABEL



BACK OF LABEL





ALTERNATE CLOSURE POSITION  
CORNERS CAN BE SQUARE OR ROUNDED.



## SERIES CJ: RIGHT HAND

Label Size: 1.937" (4.94 cm) wide x 2.25" (5.72 cm) long




ALTERNATE CLOSURE POSITION  
CORNERS CAN BE SQUARE OR ROUNDED.


## SERIES CFJ: LEFT HAND

Label Size: 1.937" (4.92 cm) wide x 2.25" (5.72 cm) long

FRONT OF LABEL




BACK OF LABEL




Bleed Area: 2.187" (5.56 cm) x 2.5" (6.35 cm)

FRONT OF LABEL



BACK OF LABEL





### ALTERNATE CLOSURE POSITION

CORNERS CAN BE SQUARE OR ROUNDED.

## SERIES CFJ: RIGHT HAND

Label Size: 1.937" (4.94 cm) wide x 2.25" (5.72 cm) long




CORNERS CAN BE SQUARE OR ROUNDED.


## SERIES CR

Label Size: 1.937" (4.94 cm) wide x 2.25" (5.72 cm) long

FRONT OF LABEL





BACK OF LABEL




Bleed Area: 2.187" (5.56 cm) x 2.5" (6.35 cm)

### ALTERNATE CLOSURE POSITIONS




### CORNER SHAPE OPTIONS




## Series L

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long




## Series M Left Hand

Label Size: .875" (2.22 cm) wide x 1.375" (3.49 cm) long




## Series M Right Hand

Label Size: .875" (2.22 cm) wide x 1.375" (3.49 cm) long



## Series MS


Label Size: .875" (2.22 cm) wide x 1.375" (3.49 cm) long



## Series P Left Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL



BACK OF LABEL



Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)


## Series P Right Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL



BACK OF LABEL




Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)




## Series PF Left Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL



BACK OF LABEL




Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)


## Series PF Right Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL



BACK OF LABEL




Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)


## Series PFM Left Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL



BACK OF LABEL




Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)


## Series PFM Right Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL



BACK OF LABEL



Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)


## Series PS

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL




BACK OF LABEL



Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)

## Series P-100

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long




The P-100 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the coated side of the label facing up. This is the side on which the 884 will print.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated.

Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the custom printed side of label require coated paper.


## Series P-200 Left Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long



## Series P-200 Right Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long




The P-200 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the back of the label facing up. This is the side on which the 884 will print.

Upon exiting the 884 the printed labels will either be run through a separator for hand closing applications ... or recoiled for use in the 865 Automatic Bag Closing Machine. When recoiled and placed on the 865, the front of the label will be facing out, away from the package (the side that will be seen by the consumer).

Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the front require coated paper.


## Series PM-200 Left Hand

Label Size: 2.75" (6.99 cm) wide x .875" (2.22 cm) long



## Series PM-200 Right Hand

Label Size: 2.75" (6.99 cm) wide x .875" (2.22 cm) long




The PM-200 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the back of the label facing up. This is the side on which the 884 will print.

Upon exiting the 884 the printed labels will either be run through a separator for hand closing applications ... or recoiled for use in the 865 Automatic Bag Closing Machine. When recoiled and placed on the 865, the front of the label will be facing out, away from the package (the side that will be seen by the consumer).


Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the front require coated paper.

## SERIES T: LEFT HAND

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long




FRONT OF LABEL




BACK OF LABEL

Bleed Area: 3" wide (7.62 cm) wide x 3" long (7.62 cm)



ALTERNATE GLUE POSITION: FRONT




ALTERNATE GLUE POSITION: BACK

Corners can be Square or with .375" (.95 cm) Radius

## SERIES T: RIGHT HAND


Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long




FRONT OF LABEL

BACK OF LABEL

Bleed Area: 3" wide (7.62 cm) wide x 3" long (7.62 cm)



ALTERNATE GLUE POSITION: FRONT




ALTERNATE GLUE POSITION: BACK

Corners can be Square or with .375" (.95 cm) Radius


## SERIES TF: LEFT HAND

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long


FRONT OF LABEL




BACK OF LABEL



Bleed Area: 3" (7.62 cm) wide x 3" (7.62 cm) long



ALTERNATE GLUE POSITION: FRONT



ALTERNATE GLUE POSITION: BACK


Corners can be Square or with .375" (.95 cm) Radius




## SERIES TF: RIGHT HAND

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long


FRONT OF LABEL




BACK OF LABEL



Bleed Area: 3" (7.62 cm) wide x 3" (7.62 cm) long



ALTERNATE GLUE POSITION: FRONT



ALTERNATE GLUE POSITION: BACK


Corners can be Square or with .375" (.95 cm) Radius

## SERIES TFM: LEFT HAND

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL

BACK OF LABEL



Bleed Area: 3" (7.62 cm) wide x 3" (7.62 cm) long



ALTERNATE GLUE POSITION: FRONT


ALTERNATE GLUE POSITION: BACK

Corners can be Square or with .375" (.95 cm) Radius


## SERIES TFM: RIGHT HAND

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long


FRONT OF LABEL




BACK OF LABEL



Bleed Area: 3" (7.62 cm) wide x 3" (7.62 cm) long



ALTERNATE GLUE POSITION: FRONT




ALTERNATE GLUE POSITION: BACK

Corners can be Square or with .375" (.95 cm) Radius

## SERIES T-210


Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long



### ALTERNATE GLUE POSITION


## SERIES T-220: Left Hand

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long




## SERIES T-220: Right Hand

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long




## SERIES TM-220 LEFT HAND

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long



## SERIES TM-220: RIGHT HAND


Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long






## SERIES U

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long



Corners can be Square or with .375" (.95 cm) Radius






APPENDIX


63-DJ AND 64-DV DISPENSER



The **63-DJ and 64-DV Dispensers** are inexpensive, portable, “table-top” models constructed of ABS plastic. With no moving parts the units are virtually maintenance free and extremely simple to use.



**63-DJ uses the DJ Closure.**



**64-DV uses the DV Closure.**

DISPENSER SPECIFICATIONS


Size: ..... 9” (22.86 cm) wide x 10-3/4” (27.31 cm) long x 4-1/4” (10.80 cm) high  
Material: ..... ABS Plastic  
Approximate Shipping Weight: (2 per carton).....4 Lbs (1.8 Kg.)



## APPENDIX

### 68-DJ AND 69-DV ISLAND DISPENSER

The **68-DJ and 69-DV Dispensers** are models designed to sit under roll stock in the produce department.



GP-1



**68-DJ uses the DJ Closure.**

GP-1





**69-DV uses the DV Closure.**



## APPENDIX

### 70-DJ AND 71-DV VALANCE DISPENSER

The **70-DJ and 71-DV Dispensers** are designed to be attached to the valance in the produce department. It can be attached on the face or on the top of the valance.



GP-1



**70-DJ uses the DJ Closure.**

GP-1



**71-DV uses the DV Closure.**



## APPENDIX



### 72 BULK DISPENSER CUP



The **72 Dispenser** allows closures or closure-labels to be placed loose in the 72 'Cup' Dispenser.

The 72 Dispenser uses any of the following:

- A, B, F & G Closures
- A-M Closures
- AA, AB, FA and GA Closures
- CB-2 Closure-Labels
- MS-B2 Closure-Labels
- PS-B2 Closure-Labels








## APPENDIX

### 76A AND 76B DISPENSERS

The **76A Valance Dispenser** can be directly attached to the valance in the produce department.



The **76B Island Dispenser** can be attached to the roll stock stand with one of two brackets listed below.



The **76A and 76B Dispensers** use "C" and CB-2 Closure Labels




Series CB-2




## APPENDIX

### 76A AND 76B DISPENSERS



The **76B Valance Dispenser** can be mounted in the produce department three different ways, shown below.

#### 76B-VALANCE INSTALLATIONS







## APPENDIX

# 814 PRODUCE DISPENSER KIT

The **Type 814 Dispenser** is constructed of virtually unbreakable ABS plastic. They can be mounted to any flat, clean surface using double-sided tape (provided).

The 814 can be used with any of the following:

- AA Closures
- AB Closures
- AD Closures
- CA Closure-Label
- CB-2R Closure Label



**814 Kwik Lok Dispenser**

### 814B w/826 ADAPTER BRACKET SET

The **826 Adapter Bracket Set** permits the 814 Dispenser to be installed on existing roll bag mounts. Two or four bolts (depending on roll bag mount) quickly secures the adapter bracket to the mount. Two self-tapping screws attach the dispenser to the brackets.



### 861 ADAPTER BRACKET SET

The **861 Adapter Bracket Set** permits the 814 Dispenser to be mounted on Island Bag Stands.

The 861 fits stands with a 3/4" O.D. (1.9 cm) pipe; the 861-B fits stands with a 7/8" (2.22 cm) pipe.





## APPENDIX


### 814 PRODUCE DISPENSER KIT



814B w/075 VALANCE MT BRACKET-FACE

The **074 (top) and 075 (face) Valance Brackets** allows the 814 Dispenser to be directly mounted to the top of face of the valance above the produce.

#### 074 and 075-VALANCE INSTALLATIONS





## APPENDIX

# BAG SIZING: LOK OPENING SIZE

The purpose of this article is to provide an aid in the selection of a closure opening for a particular size and type of bag. This article contains a chart that places similar sized openings into groups and two charts that are used to determine which group a bag fits into. There is also a listing of bag types with generalized notes on closure opening recommendations.

Note: Polyethylene bags differ depending on what agents are added to the resin and what coatings/printing are applied and these variables can impact the ability of the Closer to pack a bag into what would appear to be the proper opening. Due to the potential inaccuracies of the charts, methods of closing and bag variables, this article is only an aid in determining closure opening selection. Official bag sizing recommendations must originate from Kwik Lok Yakima.

Chart 1: All of the available openings are placed in order, beginning with the smallest on the left and ending with the largest on the right. The order of arrangement is determined by the lok opening size. The majority of the openings are placed into groups. Charts 2 and 3 refer back to these Groups.

Chart 2: Use this chart for sizing small to medium sized polyethylene type bags. As an example: A bag with a width of 12 inches (30.5 cm) x 1.5 mil (38.1 microns) falls into Group C. From Chart 1 select the opening from Group C depending on the method of application. Opening #1 for hand applied, Opening GP-3 for Semiautomatic closing and Opening TGR-3 for Automatic closing.

Chart 3: Use this chart for sizing heavy mil and wide polyethylene type bags. See Chart 2 paragraph above for usage information.

### Bag Type: General Information

CLAF (Full): Generally closed with a KM-NRP or Z-NRP TGR opening.

CLAF (Partial): This type of bag is of CLAF material with an all polyethylene top. Use Charts 2 and 3. However, the closure opening will not accommodate the CLAF material that can occur if attempting to close a tight package.

Drawstring: (Example: Leno onion bag) Three net openings (N-0, N-0/1, and N-1) are used to close drawstrings depending on size of string and available opening in a chosen series. See 'Mesh' below.

Foil: (Example: Bread Bag) Use Charts 2 and 3. Increase the opening size recommendation by one group.

Leno: This rather stiff mesh material requires a large opening. Generally a Z-NRP #6 is used.

Mesh: (Example: soft knitted net potato bag) Generally closed with a K-NRP or KM-NRP TGR type opening. Note: When replacing a drawstring with a closure it is not recommended that the length of the bag needs to be increased so that there is enough bag top for the Closer to work with.

Paper: (Paper-poly combo): Example: Bread Bag). Generally a KW-NRP R5B closure is recommended and in some cases the KM-NRP TGR-6 is utilized.

Polyethylene: (Example: Standard U.S. bread bags) Use Charts 2 and 3.

Polyethylene w/anti(low)-slip agent: (Example: 20 Lb carrot bag). Use Charts 2 and 3. Increase the opening size recommendation by one group if sizing for an automatic closer.

Polyethylene for ice bags (or other cold room environments): Use Charts 2 and 3. Increase the opening size recommendation by one group if sizing for an automatic closer. It is not mandatory but recommended to use an opening without side-teeth (Example: Instead of a TGR-5 use a #3 opening).

Polyethylene Master: (Example: Twin-packed bread bag) Typically a KM-NRP TGR-6 or a Z-NRP TG-7 closures is used to close the outer bag of a multiple bread loaf package.

The large opening size is used to accommodate up to all bag necks, which includes the inner bags.


Polypropylene: (Example: Bag produced by a Vertical Form and Fill Machine) Use Charts 2 and 3. Increase the opening size recommended closure by two groups A bag width of 12 inches (30.5 cm) x 1.5 mil (38.1 microns) falls into Group C (TGR-3) but the recommended closure opening is increased to Group E (TRG-5).

Vexar/Extruded Net: These bags are closed with any of the N style openings. It is best to select the tightest opening possible. It is also recommended that, in most cases, heavy duty plastic be specified.




## APPENDIX CHART 1

Volume of Closure Openings  
Chart 1






## APPENDIX CHART 2







## APPENDIX CHART 3



LOK OPENING SIZE FOR POLYETHYLENE BAGS  
CHART 3



## APPENDIX

### SHIPPING CARTON DIMENSIONS

CARTON #	APPROXIMATE OUTSIDE DIMENSIONS (Length x Width x Height)	VOLUME	CARTONS PER PALLET
0C-0004 .....	15" x 9-1/8" x 19-3/8" (38.1 cm x 23.2 cm x 49.2 cm)	1.53 cu. ft. (0.043 m <sup>3</sup> )	36
0C-0005 .....	4-7/8" x 3-5/8" x 24-5/8" (12.4 cm x 9.2 cm x 62.5 cm)	0.25 cu. ft. (0.007 m <sup>3</sup> )	*
0C-0006 .....	4-7/8" x 3-1/2" x 19-5/8" (12.4 cm x 8.9 cm x 49.8 cm)	0.19 cu. ft. (0.005 m <sup>3</sup> )	100
0C-0007 .....	13-1/4" x 11-1/2" x 23-5/8" (33.7 cm x 29.2 cm x 60 cm)	2.08 cu. ft. (0.059 m <sup>3</sup> )	27
0C-0129 .....	15" x 15" x 6-7/8" (38.1 cm x 38.1 cm x 17.5 cm)	0.90 cu. ft. (0.025 m <sup>3</sup> )	72
0C-0203 .....	13-5/8" x 13-5/8" x 28-3/4" (34.6 cm x 34.6 cm x 73 cm)	3.09 cu. ft. (0.087 m <sup>3</sup> )	27
0C-0204 .....	12-3/8" x 12-3/8" x 30-1/8" (31.4 cm x 31.4 cm x 76.5 cm)	2.67 cu. ft. (0.076 m <sup>3</sup> )	*
0C-0233 .....	7-1/2" x 4-1/8" x 12-1/2" (19.1 cm x 10.5 cm x 31.8 cm)	0.22 cu. ft. (0.006 m <sup>3</sup> )	*
0C-0522 .....	14-7/8" x 14-7/8" x 15-1/4" (37.8 cm x 37.8 cm x 38.7 cm)	1.95 cu. ft. (0.055 m <sup>3</sup> )	36
0C-0719 .....	13" x 12-1/8" x 7" (33 cm x 30.8 cm x 17.8 cm)	0.64 cu. ft. (0.018 m <sup>3</sup> )	*
0C-0733 .....	10-1/8" x 10-1/8" x 10-3/8" (25.7 cm x 25.7 cm x 26.4 cm)	0.62 cu. ft. (0.017 m <sup>3</sup> )	80
0C-0906 .....	15-5/8" x 8-1/8" x 5-7/8" (39.7 cm x 20.6 cm x 14.9 cm)	0.43 cu. ft. (0.012 m <sup>3</sup> )	120
0C-1983C .....	14-1/4" x 14-1/4" x 11-3/8" (36.2 cm x 36.2 cm x 28.9 cm)	1.34 cu. ft. (0.038 m <sup>3</sup> )	45

\*Carton not used at this time.

©2013 KWIK LOK CORPORATION - ALL RIGHTS RESERVED  
Kwik Lok® and Striplok® are trademarks of Kwik Lok Corporation.  
The shape of the closure is a trademark of Kwik Lok Corporation.



## APPENDIX

# TERMS AND CONDITIONS

**TERMS:** All Kwik Lok Products are sold EXW. Normal terms are net cash 30 days. Custom printed closure-labels, automatic equipment and large volume orders may require payment in advance.

**CLOSURE WARRANTY:** Closures are warranted to be free of manufacturing defects. Closures are guaranteed to be usable for one-year after manufacturing date. Closure-label warranty is void if closure-labels are stored at temperatures below 32°F (0°C) or over 100°F (37.8°C). We do not suggest closure-labels be stored in metal sheds or buildings that are not adequately protected from heat.

**RETURNED GOODS:** All products returned to Kwik Lok must be pre approved and issued a RMA number. The RMA number must be on all documents, including the bill of lading and/or cartons. Products arriving at any Kwik Lok factory without pre approval and a RMA number will be refused and returned to shipper.



**Kwik Lok**® Ltd.

176 Sheldon Drive, Cambridge, Ontario, Canada N1R 7K1

1-888-KWIKLOK (1-888-594-5565) Internet: [www.kwiklok.com](http://www.kwiklok.com)